



**CHEMICAL ANALYSIS**

**BACH NUMBER # PARS SAFFRON** Sample weight: 15 gr Date of receiving Sample : 2018-07-15  
**Name of exporter: TARVAND SAFFRON** Date of issuing results: 2018-07-20  
**SAFFRON:SARGOL CAT2**

No	Characteristic	Results	Categories				Test Method		
			FILAME NT CUT	FILAMENT				ISIRI NUMBER	
				SUP ERB	1	2			3
1	Moisture and Volatile Matter %(m/m) Max	7.35	10	10	12	12	12	259-2 IRAN Standard	
2	Extraneous Matter (% max) Environmental extraneous matter	0.00 Negative	0.1 negative	1 negative	2 negative	2 negative	2 negative	259-2 IRAN Standard	
3	Total Ash (%m/m) on dry basis max	6.11	5.5	6	7	7	7	1197 IRAN Standard	
4	Ash insoluble in HCL on dry basis (%m/m)	1	0.5	1	1.5	1.5	1.5	1253 IRAN Standard	
5	Solubility in Cold water,%(m/m) on dry basis max	58.23	65	65	65	65	65	12185 IRAN Standard	
6	Bitterness/ expressed as direct react reading of the absorbance of Picrocrocin at about 257nm/on dry basis/min	81.28	85	80	70	70	70	259-2 IRAN Standard	
7	Safranal/expressed as direct react reading of the absorbance of Picrocrocin at about 330 nm/on dry basis	37.19	20-50	20-50	20-50	20-50	20-50	259-2 IRAN Standard	
8	Coloring strength expressed as direct reading of the absorbance of Crocin at about 440 nm/on dry basis.min	234.89	220	200	180	150	140	259-2 IRAN Standard	

Remarks: the result of the analysis exclusively limited to the sample delivered to the laboratory which is in according with the standard and the grade **SARGOL CAT2**

ANALYST <b>S.HADIZADEH</b> Quality Control	<b>M. AKBARNEJAD</b> Quality Assurance	<b>M. AKBARNEJAD</b> Standard Expert License Number:4010	CERTIFIED
--	---	--	-----------





**CHEMICAL ANALYSIS**

**BACH NUMBER # PARS SAFFRON** Sample weight: 15 gr Date of receiving Sample : 2018-07-15  
**Name of exporter: TARVAND SAFFRON** Date of issuing results: 2018-07-20  
**SAFFRON:SARGOL CAT2**

No	Characteristic	Results	Categories					Test Method  ISIRI NUMBER
			CUT FILAMENT CUT	FILAMENT				
				SUPERB	1	2	3	
9	Extraction and distinction of the added colors	Negative	Negative	Negative	Negative	Negative	Negative	259-2 IRAN Standard
10	Identification of saffron pigments	5.81	6	6	6	6	6	259-2 IRAN Standard
11	Total Nitrogen content (%m/m) max	2.54	3	3	3	3	3	1522 IRAN Standard
12	Fiber on dry basis (%m/m) max	5.59	6	6	6	6	6	3394 IRAN Standard
13	Marking	suitable	Suitable	Suitable	Suitable	Suitable	Suitable	259-1 IRAN Standard
14	Style with Stigma (%m/m) max	2.88	0.5	5	10	20	30	259-2 IRAN Standard

Remarks: the result of the analysis exclusively limited to the sample delivered to the laboratory which is in according with the standard and the grade **SARGOL CAT2**

ANALYST <b>S.HADIZADEH</b> Quality Control	<b>M. AKBARNEJAD</b> Quality Assurance	<b>M. AKBARNEJAD</b> Standard Expert License Number:4010	CERTIFIED
--	---	--	-----------







**MICROBIOLOGICAL ANALYSIS**

**BACH NUMBER # PARS SAFFRON** Sample weight: 15 gr Date of receiving Sample : 2018-07-15  
**Name of exporter: TARVAND SAFFRON** Date of issuing results: 2018-07-20  
**SAFFRON:SARGOL CAT2**

NO	Characteristic	Results	ACCEPTABEL RANGE	Test Method
1	enumeration of microorganisms	7.86*10 <sup>2</sup>	3*10 <sup>5</sup>	5272-1 IRAN Standard
2	Enumeration Of ESCHERICHIA	Negative	Negative	2946 IRAN Standard
3	Enumeration Of YEASTS	1.78*10 <sup>2</sup>	10 <sup>3</sup>	10899-3 IRAN Standard

Remarks: the result of the analysis exclusively limited to the sample delivered to the laboratory which is in according with the standard .

ANALYST <b>S.HADIZADEH</b> Quality Control	<b>M. AKBARNEJAD</b> Quality Assurance	<b>M. AKBARNEJAD</b> Standard Expert License Number:4010	CERTIFIED
--	---	--	-----------

